ELSEVIER

Hearing Research 74 (1994) 267–268

HEARING RESEARCH

Author Index

Abrams, R.M., see Griffiths, S.K. (74) 221

Bobbin, R.P., see Erostegui, C. (74) 135
Bobbin, R.P., see Kujawa, S.G. (74) 122

Clark, G.M., see O'Leary, S.J. (74) 181

DeMott, J., see Salt, A.N. (74) 115
DeMott, J., see Salt, A.N. (74) 165
Dieler, R., Shehata-Dieler, W.E., Richter, C.-P. and Klinke, R.
Effects of endolymphatic and perilymphatic application of salicylate in the pigeon. II: Fine stucture of auditory hair cells (74) 85
Dieler, R., see Shehata-Dieler, W.E. (74) 77
Drescher, D.G., see Foster, J.D. (74) 67
Drescher, M.J., see Foster, J.D. (74) 67

Eggermont, J.J.
Temporal modulation transfer functions for AM and FM stimuli in cat auditory cortex. Effects of carrier type, modulating waveform and intensity (74) 51
Erostegui, C., Norris, C.H. and Bobbin, R.P.
In vitro pharmacologic characterization of a cholinergic receptor on outer hair cells (74) 135

Fallon, M., see Kujawa, S.G. (74) 122
Foster, J.D., Drescher, M.J., Hatfield, J.S. and Drescher, D.G.
Immunohistochemical localization of S-100 protein in auditory and vestibular end organs of the mouse and hamster (74) 67

Gerhardt, K.J., see Griffiths, S.K. (74) 221
Glattke, T.J., see Kujawa, S.G. (74) 122
Gray, L., see Wilmington, D. (74) 99
Griffiths, S.K., Pierson, L.L., Gerhardt, K.J., Abrams, R.M. and Peters, A.J.M.
Noise induced hearing loss in fetal sheep (74) 221

Harris, F.P., see Xu, L. (74) 173
Hartmann, R., see Knauth, M. (74) 247
Hatfield, J.S., see Foster, J.D. (74) 67
Henderson, D., Subramaniam, M., Papazian, M. and Spongr, V.P.
The role of middle ear muscles in the development of resistance to noise induced hearing loss (74) 22
Henderson, D., see Subramaniam, M. (74) 204

Jahrsdoerfer, R., see Wilmington, D. (74) 99

Keppler, C., Schermuly, L. and Klinke, R.
The course and morphology of efferent nerve fibres in the papilla basilaris of the pigeon (*Columba livia*) (74) 259
Kirk, D.L. and Yates, G.K.
Evidence for electrically evoked travelling waves in the guinea pig cochlea (74) 38
Klinke, R., Müller, M., Richter, C.-P. and Smolders, J.
Preferred intervals in birds and mammals: A filter response to noise? (74) 238
Klinke, R., see Dieler, R. (74) 85
Klinke, R., see Keppler, C. (74) 259
Klinke, R., see Knauth, M. (74) 247
Klinke, R., see Shehata-Dieler, W.E. (74) 77
Knauth, M., Hartmann, R. and Klinke, R.
Discharge pattern in the auditory nerve evoked by vowel stimuli: A comparison between acoustical and electrical stimulation (74) 247
Knudsen, E.I., see Mogdans, J. (74) 148
Kujawa, S.G., Glattke, T.J., Fallon, M. and Bobbin, R.P.
A nicotinic-like receptor mediates suppression of distortion product otoacoustic emissions by contralateral sound (74) 122

Leake, P.A., see Lustig, L.R. (74) 29
Los, I., see Roberts, B.L. (74) 231
Lustig, L.R., Leake, P.A., Snyder, R.L. and Rebscher, S.J.
Changes in the cat cochlear nucleus following neonatal deafening and chronic intracochlear electrical stimulation (74) 29

Maslam, S., see Roberts, B.L. (74) 231
McFadden, S.L., see Willott, J.F. (74) 1
Mogdans, J. and Knudsen, E.I.
Representation of interaural level difference in the VLVp, the first site of binaural comparison in the barn owl's auditory system (74) 148
Müller, M., see Klinke, R. (74) 238

Norris, C.H., see Erostegui, C. (74) 135

Ogawa, K. and Schacht, J.
G-proteins coupled to phosphoinositide hydrolysis in the cochlear and vestibular sensory epithelia of the rat are insensitive to cholera and pertussis toxins (74) 197
O'Leary, S.J., Tong, Y.C. and Clark, G.M.
Neural processes in the dorsal cochlear nucleus of the anaesthetised cat investigated from unit responses to electrical stimulation of the auditory nerve (74) 181

Papazian, M., see Henderson, D. (74) 22
Peters, A.J.M., see Griffiths, S.K. (74) 221
Pierson, L.L., see Griffiths, S.K. (74) 221
Powers, N.L., see Subramaniam, M. (74) 204
Probst, R., see Xu, L. (74) 173

Quirk, W.S., Shivapuja, B.G., Schwimmer, C.L. and Seidman, M.D.
Lipid peroxidation inhibitor attenuates noise-induced temporary threshold shifts (74) 217

Rebscher, S.J., see Lustig, L.R. (74) 29
Richter, C.-P., see Dieler, R. (74) 85
Richter, C.-P., see Klinke, R. (74) 238
Richter, C.-P., see Shehata-Dieler, W.E. (74) 77
Roberts, B.L., Maslam, S., Los, I. and Van Der Jagt, B.
Coexistence of calcitonin gene-related peptide and choline acetyltransferase in EEL efferent neurons (74) 231
Roede, J., see Xu, L. (74) 173

Salt, A.N. and DeMott, J.
Endolymph calcium increases with time after surgical induction of hydrops in guinea-pigs (74) 115
Salt, A.N. and DeMott, J.
Time course of endolymph volume increase in experimental hydrops measured in vivo with an ionic volume marker (74) 165
Salvi, R.J., see Subramaniam, M. (74) 204
Schacht, J., see Ogawa, K. (74) 197
Schermuly, L., see Keppler, C. (74) 259
Schwimmer, C.L., see Quirk, W.S. (74) 217
Seegers Bross, L., see Willott, J.F. (74) 1
Seidman, M.D., see Quirk, W.S. (74) 217
Shehata-Dieler, W.E., Richter, C.-P., Dieler, R. and Klinke, R.
Effects of endolymphatic and perilymphatic application of salicylate in the pigeon. I: Single fiber activity and cochlear potentials (74) 77
Shehata-Dieler, W.E., see Dieler, R. (74) 85
Shivapuja, B.G., see Quirk, W.S. (74) 217
Smolders, J., see Klinke, R. (74) 238
Snyder, R.L., see Lustig, L.R. (74) 29
Spongr, V.P., see Henderson, D. (74) 22
Spongr, V.P., see Subramaniam, M. (74) 204
Subramaniam, M., Salvi, R.J., Spongr, V.P., Henderson, D. and Powers, N.L.
Changes in distortion product otoacoustic emissions and outer hair cells following interrupted noise exposures (74) 204
Subramaniam, M., see Henderson, D. (74) 22

Tong, Y.C., see O'Leary, S.J. (74) 181

Van Der Jagt, B., see Roberts, B.L. (74) 231

Willott, J.F., Seegers Bross, L. and McFadden, S.L.
Morphology of the cochlear nucleus in CBA/J mice with chronic, severe sensorineural cochlear pathology induced during adulthood (74) 1
Wilmington, D., Gray, L. and Jahrsdoerfer, R.
Binaural processing after corrected congenital unilateral conductive hearing loss (74) 99

Xu, L., Probst, R., Harris, F.P. and Roede, J.
Peripheral analysis of frequency in human ears revealed by tone burst evoked otoacoustic emissions (74) 173

Yates, G.K., see Kirk, D.L. (74) 38

ELSEVIER

Hearing Research 74 (1994) 269–272

HEARING RESEARCH

Subject Index

Acetylcholine
Outer hair cells; Receptor; Nicotinic; Muscarinic (Erostegui, C. (74) 135)

Efferent; Calcitonin gene-related peptide; Choline acetyltransferase (Roberts, B.L. (74) 231)

ADP-ribosylation
G-protein; Inositol phosphate; Cholera toxin; Pertussis toxin; Cochlea; Vestibule; Rat (Ogawa, K. (74) 197)

Aging
Auditory system; Inbred mice; Sensorineural hearing loss; Neurons (Willott, J.F. (74) 1)

AM
Auditory cortex; Cat; Single unit; Temporal modulation transfer functions; FM (Eggermont, J.J. (74) 51)

Aminoglycoside ototoxicity
Auditory deprivation; Chronic electrical stimulation; Cochlear nucleus; Neonatal deafness (Lustig, L.R. (74) 29)

Auditory brainstem response
Fetal sheep; Fetal hearing; Noise-induced hearing loss (Griffiths, S.K. (74) 221)

Auditory cortex
Cat; Single unit; Temporal modulation transfer functions; AM; FM (Eggermont, J.J. (74) 51)

Auditory deprivation
Chronic electrical stimulation; Cochlear nucleus; Neonatal deafness; Aminoglycoside ototoxicity (Lustig, L.R. (74) 29)

Auditory nerve
Dorsal cochlear nucleus; Electrical stimulation (O'Leary, S.J. (74) 181)

Preferred intervals; Bird; Mammal; Hair cell (Klinke, R. (74) 238)

Electrical stimulation; Speech; Vowel; Cat (Knauth, M. (74) 247)

Auditory system
Inbred mice; Sensorineural hearing loss; Neurons; Aging (Willott, J.F. (74) 1)

Basilar papilla
Bird; Pigeon; Salicylate; Cochlear potentials (Shehata-Dieler, W.E. (74) 77)

Bird; Pigeon; Hair cells; Salicylate ototoxicity; Fine structure (Dieler, R. (74) 85)

Binaural hearing
Masking level difference; Sound localization; Speech intelligibility; Development (Wilmington, D. (74) 99)

Bird
Pigeon; Basilar papilla; Salicylate; Cochlear potentials (Shehata-Dieler, W.E. (74) 77)

Pigeon; Basilar papilla; Hair cells; Salicylate ototoxicity; Fine structure (Dieler, R. (74) 85)

Preferred intervals; Mammal; Auditory nerve; Hair cell (Klinke, R. (74) 238)

Calcitonin gene-related peptide
Efferent; Choline acetyltransferase; Acetylcholine (Roberts, B.L. (74) 231)

Calcium
S-100 proteins; Hair cells; Cochlea; Vestibule; Immunohistochemistry (Foster, J.D. (74) 67)

Endolymph; Endolymphatic Hydrops; Cochlea, Ménière's disease (Salt, A.N. (74) 115)

CAP
Travelling wave; Electrical stimulation; Cochlea (Kirk, D.L. (74) 38)

Cat
Auditory cortex; Single unit; Temporal modulation transfer functions; AM; FM (Eggermont, J.J. (74) 51)

Electrical stimulation; Speech; Vowel; Auditory nerve (Knauth, M. (74) 247)

Cholera toxin
G-protein; Inositol phosphate; ADP-ribosylation; Pertussis toxin; Cochlea; Vestibule; Rat (Ogawa, K. (74) 197)

Choline acetyltransferase
Efferent; Calcitonin gene-related peptide; Acetylcholine (Roberts, B.L. (74) 231)

Cholinergic receptors
MOC efferents; Outer hair cells (Kujawa, S.G. (74) 122)

Chronic electrical stimulation
Auditory deprivation; Cochlear nucleus; Neonatal deafness; Aminoglycoside ototoxicity (Lustig, L.R. (74) 29)

Cochlea
Travelling wave; CAP; Electrical stimulation (Kirk, D.L. (74) 38)

S-100 proteins; Calcium; Hair cells; Vestibule; Immunohistochemistry (Foster, J.D. (74) 67)

G-protein; Inositol phosphate; ADP-ribosylation; Cholera toxin; Pertussis toxin; Vestibule; Rat (Ogawa, K. (74) 197)

Cochlea, Ménière's disease
Endolymph; Calcium; Endolymphatic Hydrops (Salt, A.N. (74) 115)

Cochlear frequency selectivity
Otoacoustic emissions; Frequency analysis; Cochlear mechanics; Transiently evoked otoacoustic emissions; Inner ear (Xu, L. (74) 173)

Cochlear mechanics
Otoacoustic emissions; Frequency analysis; Transiently evoked otoacoustic emissions; Inner ear; Cochlear frequency selectivity (Xu, L. (74) 173)

Cochlear nucleus
Auditory deprivation; Chronic electrical stimulation; Neonatal deafness; Aminoglycoside ototoxicity (Lustig, L.R. (74) 29)

Cochlear potentials
Bird; Pigeon; Basilar papilla; Salicylate (Shehata-Dieler, W.E. (74) 77)

Development
Binaural hearing; Masking level difference; Sound localization; Speech intelligibility (Wilmington, D. (74) 99)

Dorsal cochlear nucleus
Electrical stimulation; Auditory nerve (O'Leary, S.J. (74) 181)

DPOAEs
Toughening; SEM (Subramaniam, M. (74) 204)

Efferent
Calcitonin gene-related peptide; Choline acetyltransferase; Acetylcholine (Roberts, B.L. (74) 231)

Efferent innervation
Pigeon; Papilla basilaris; HRP (Keppler, C. (74) 259)

Electrical stimulation
Travelling wave; CAP; Cochlea (Kirk, D.L. (74) 38)

Dorsal cochlear nucleus; Auditory nerve (O'Leary, S.J. (74) 181)

Speech; Vowel; Cat; Auditory nerve (Knauth, M. (74) 247)

Endolymph
Calcium; Endolymphatic Hydrops; Cochlea, Ménière's disease (Salt, A.N. (74) 115)

Endolymphatic hydrops; Ion-selective electrodes; Ménière's disease (Salt, A.N. (74) 165)

Endolymphatic Hydrops
Endolymph; Calcium; Cochlea, Ménière's disease (Salt, A.N. (74) 115)

Endolymphatic hydrops
Endolymph; Ion-selective electrodes; Ménière's disease (Salt, A.N. (74) 165)

Fetal hearing
Auditory brainstem response; Fetal sheep; Noise-induced hearing loss (Griffiths, S.K. (74) 221)

Fetal sheep
Auditory brainstem response; Fetal hearing; Noise-induced hearing loss (Griffiths, S.K. (74) 221)

Fine structure
Bird; Pigeon; Basilar papilla; Hair cells; Salicylate ototoxicity (Dieler, R. (74) 85)

FM
Auditory cortex; Cat; Single unit; Temporal modulation transfer functions; AM (Eggermont, J.J. (74) 51)

Free oxygen radicals
Noise induced hearing loss; Temporary threshold shifts; U74389F; Lipid peroxidation (Quirk, W.S. (74) 217)

Frequency analysis
Otoacoustic emissions; Cochlear mechanics; Transiently evoked otoacoustic emissions; Inner ear; Cochlear frequency selectivity (Xu, L. (74) 173)

G-protein
Inositol phosphate; ADP-ribosylation; Cholera toxin; Pertussis toxin; Cochlea; Vestibule; Rat (Ogawa, K. (74) 197)

Hair cell
Preferred intervals; Bird; Mammal; Auditory nerve (Klinke, R. (74) 238)

Hair cells
S-100 proteins; Calcium; Cochlea; Vestibule; Immunohistochemistry (Foster, J.D. (74) 67)

Bird; Pigeon; Basilar papilla; Salicylate ototoxicity; Fine structure (Dieler, R. (74) 85)

HRP
Pigeon; Papilla basilaris; Efferent innervation (Keppler, C. (74) 259)

Immunohistochemistry
S-100 proteins; Calcium; Hair cells; Cochlea; Vestibule (Foster, J.D. (74) 67)

Inbred mice
Auditory system; Sensorineural hearing loss; Neurons; Aging (Willott, J.F. (74) 1)

Inner ear
Otoacoustic emissions; Frequency analysis; Cochlear mechanics; Transiently evoked otoacoustic emissions; Cochlear frequency selectivity (Xu, L. (74) 173)

Inositol phosphate
G-protein; ADP-ribosylation; Cholera toxin; Pertussis toxin; Cochlea; Vestibule; Rat (Ogawa, K. (74) 197)

Ion-selective electrodes
Endolymph; Endolymphatic hydrops; Ménière's disease (Salt, A.N. (74) 165)

Lateral superior olive
Nucleus of the lateral lemniscus; Neural maps; Sound localization (Mogdans, J. (74) 148)

Lipid peroxidation
Noise induced hearing loss; Temporary threshold shifts; U74389F; Free oxygen radicals (Quirk, W.S. (74) 217)

Mammal
Preferred intervals; Bird; Auditory nerve; Hair cell (Klinke, R. (74) 238)

Masking level difference
Binaural hearing; Sound localization; Speech intelligibility; Development (Wilmington, D. (74) 99)

Ménière's disease
Endolymph; Endolymphatic hydrops; Ion-selective electrodes (Salt, A.N. (74) 165)

Middle ear muscles
Toughening; Threshold shift (Henderson, D. (74) 22)

MOC efferents
Cholinergic receptors; Outer hair cells (Kujawa, S.G. (74) 122)

Muscarinic
Outer hair cells; Acetylcholine; Receptor; Nicotinic (Erostegui, C. (74) 135)

Neonatal deafness
Auditory deprivation; Chronic electrical stimulation; Cochlear nucleus; Aminoglycoside ototoxicity (Lustig, L.R. (74) 29)

Neural maps
Nucleus of the lateral lemniscus; Lateral superior olive; Sound localization (Mogdans, J. (74) 148)

Neurons
Auditory system; Inbred mice; Sensorineural hearing loss; Aging (Willott, J.F. (74) 1)

Nicotinic
Outer hair cells; Acetylcholine; Receptor; Muscarinic (Erostegui, C. (74) 135)

Noise induced hearing loss
Temporary threshold shifts; U74389F; Free oxygen radicals; Lipid peroxidation (Quirk, W.S. (74) 217)

Noise-induced hearing loss
Auditory brainstem response; Fetal sheep; Fetal hearing (Griffiths, S.K. (74) 221)

Nucleus of the lateral lemniscus
Lateral superior olive; Neural maps; Sound localization (Mogdans, J. (74) 148)

Otoacoustic emissions
Frequency analysis; Cochlear mechanics; Transiently evoked otoacoustic emissions; Inner ear; Cochlear frequency selectivity (Xu, L. (74) 173)

Outer hair cells
Cholinergic receptors; MOC efferents (Kujawa, S.G. (74) 122)

Acetylcholine; Receptor; Nicotinic; Muscarinic (Erostegui, C. (74) 135)

Papilla basilaris
Pigeon; Efferent innervation; HRP (Keppler, C. (74) 259)

Pertussis toxin
G-protein; Inositol phosphate; ADP-ribosylation; Cholera toxin; Cochlea; Vestibule; Rat (Ogawa, K. (74) 197)

Pigeon
Bird; Basilar papilla; Salicylate; Cochlear potentials (Shehata-Dieler, W.E. (74) 77)

Bird; Basilar papilla; Hair cells; Salicylate ototoxicity; Fine structure (Dieler, R. (74) 85)

Papilla basilaris; Efferent innervation; HRP (Keppler, C. (74) 259)

Preferred intervals
Bird; Mammal; Auditory nerve; Hair cell (Klinke, R. (74) 238)

Rat
G-protein; Inositol phosphate; ADP-ribosylation; Cholera toxin; Pertussis toxin; Cochlea; Vestibule (Ogawa, K. (74) 197)

Receptor
Outer hair cells; Acetylcholine; Nicotinic; Muscarinic (Erostegui, C. (74) 135)

Salicylate
Bird; Pigeon; Basilar papilla; Cochlear potentials (Shehata-Dieler, W.E. (74) 77)

Salicylate ototoxicity
Bird; Pigeon; Basilar papilla; Hair cells; Fine structure (Dieler, R. (74) 85)

SEM
DPOAEs; Toughening (Subramaniam, M. (74) 204)

Sensorineural hearing loss
Auditory system; Inbred mice; Neurons; Aging (Willott, J.F. (74) 1)

Single unit
Auditory cortex; Cat; Temporal modulation transfer functions; AM; FM (Eggermont, J.J. (74) 51)

Sound localization
Binaural hearing; Masking level difference; Speech intelligibility; Development (Wilmington, D. (74) 99)

Nucleus of the lateral lemniscus; Lateral superior olive; Neural maps (Mogdans, J. (74) 148)

Speech
Electrical stimulation; Vowel; Cat; Auditory nerve (Knauth, M. (74) 247)

Speech intelligibility
Binaural hearing; Masking level difference; Sound localization; Development (Wilmington, D. (74) 99)

S-100 proteins
Calcium; Hair cells; Cochlea; Vestibule; Immunohistochemistry (Foster, J.D. (74) 67)

Temporal modulation transfer functions
Auditory cortex; Cat; Single unit; AM; FM (Eggermont, J.J. (74) 51)

Temporary threshold shifts
Noise induced hearing loss; U74389F; Free oxygen radicals; Lipid peroxidation (Quirk, W.S. (74) 217)

Threshold shift
Middle ear muscles; Toughening (Henderson, D. (74) 22)

Toughening
Middle ear muscles; Threshold shift (Henderson, D. (74) 22)

DPOAEs; SEM (Subramaniam, M. (74) 204)

Transiently evoked otoacoustic emissions
Otoacoustic emissions; Frequency analysis; Cochlear mechanics; Inner ear; Cochlear frequency selectivity (Xu, L. (74) 173)

Travelling wave
CAP; Electrical stimulation; Cochlea (Kirk, D.L. (74) 38)

U74389F
Noise induced hearing loss; Temporary threshold shifts; Free oxygen radicals; Lipid peroxidation (Quirk, W.S. (74) 217)

Vestibule
S-100 proteins; Calcium; Hair cells; Cochlea; Immunohistochemistry (Foster, J.D. (74) 67)

G-protein; Inositol phosphate; ADP-ribosylation; Cholera toxin; Pertussis toxin; Cochlea; Rat (Ogawa, K. (74) 197)

Vowel
Electrical stimulation; Speech; Cat; Auditory nerve (Knauth, M. (74) 247)